

References (Version 4, 23 November 2015)

- Abrahamson, I.L., Nelson, C.R., and Affleck, D.L.R. 2011. Assessing the performance of sampling designs for measuring the abundance of understory plants. *Ecological Applications* 21(2): 452-464. doi:10.1890/09-2296.1.
- Abrams, P. 1980. Some comments on measuring niche overlap. *Ecology* 61: 44-49.
- Aigner, P., and Koehler, C. 2010. The Model Ecosystem as a paradigm of place-based research: the intersection of geology, ecology, and economics at the McLaughlin Reserve. *In* *The Ecology of Place: Contributions of place-based research to ecological and evolutionary understanding*. Edited by Ian Billick, and Mary V. Price. University of Chicago Press, Chicago.
- Allen, J., Gonzalez, D., and Gokhale, D.V. 1972. Sequential sampling plans for the bollworm, *Heliothis zea*. *Environmental Entomology* 1: 771-780.
- Amstrup, S., MacDonald, L., and Manly, B. 2006. *Handbook of Capture-Recapture Analysis*. Princeton University Press, Princeton, New Jersey.
- Anderson, D.R., Burnham, K.P., Gould, W.R., and Cherry, S. 2001. Concerns about finding effects that are actually spurious. *Wildlife Society Bulletin* 29(1): 311-316.
- Anderson, D.R., Burnham, K.P., and White, G.C. 1985. Problems in estimating age-specific survival rates from recovery data of birds ringed as young. *Journal of Animal Ecology* 54: 89-98.
- Anderson, D.R., Burnham, K.P., White, G.C., Otis, D.L. 1983. Density estimation of small-mammal populations using a trapping web and distance sampling methods. *Ecology* 64(4): 674-680.
- Anderson, D.R., Laake, J.L., Crain, B.R., and Burnham, K.P. 1979. Guidelines for line transect sampling of biological populations. *Journal of Wildlife Management* 43: 70-78.
- Anganuzzi, A.A., and Buckland, S.T. 1993. Post-stratification as a bias reduction technique. *Journal of Wildlife Management* 57: 827-834.
- Anscombe, F.J. 1948. The transformation of Poisson, binomial and negative binomial data. *Biometrika* 35: 246-254.
- Armitage, P. 1950. Sequential analysis with more than two alternative hypotheses, and its relation to discriminant function analysis. *Journal of the Royal Statistical Society, Series B* 12: 137-144.
- Armstrong, D.M. 1977. Ecological distribution of small mammals in the Upper Williams Fork Basin, Grand County, Colorado. *Southwestern Naturalist* 22: 289-304.

- Arnason, A.N., Schwarz, C.J., and Gerrard, J.M. 1991. Estimating closed population size and number of marked animals from sighting data. *Journal of Wildlife Management* 55: 716-730.
- Arthur, S.M., Manly, B.F.J., McDonald, L.L., and Garner, G.W. 1996. Assessing habitat selection when availability changes. *Ecology* 77: 215-227.
- Atchley, W.R., Gaskins, C.T., and Anderson, D. 1976. Statistical properties of ratios. I. Empirical results. *Systematic Zoology* 25: 137-148.
- Bailey, N.T.J. 1952. Improvements in the interpretation of recapture data. *Journal of Animal Ecology* 21: 120-127.
- Baranov, F.I. 1918. On the question of the biological basis of fisheries. *Nauchn. Issled. Ikhtiologicheskii Inst. Izv. 1*: 81-128 (in Russian).
- Barcikowski, R.S., and Robey, R.R. 1984. Decisions in single group repeated measures analysis: statistical tests and three computer packages. *American Statistician* 38: 148-150.
- Baroni-Urbani, C., and Buser, M.W. 1976. Similarity of binary data. *Systematic Zoology* 25: 251-259.
- Bart, J., and Robson, D.S. 1982. Estimating survivorship when the subjects are visited periodically. *Ecology* 63: 1078-1090.
- Baselga, A. 2012. The relationship between species replacement, dissimilarity derived from nestedness, and nestedness. *Global Ecology and Biogeography* 21(12): 1223-1232. doi:10.1111/j.1466-8238.2011.00756.x.
- Baskerville, E.B., Dobson, A.P., Bedford, T., Allesina, S., Anderson, T.M., and Pascual, M. 2011. Spatial guilds in the Serengeti food web revealed by a Bayesian group model. *PLoS Computational Biology* 7(12): e1002321. doi:10.1371/journal.pcbi.1002321.
- Baskerville, G.L. 1971. Use of logarithmic regression in the estimation of plant biomass. *Canadian Journal of Forestry* 2: 49-53.
- Batcheler, C.L. 1971. Estimation of density from a sample of joint point and nearest-neighbor distances. *Ecology* 52: 703-709.
- Batcheler, C.L. 1975. Development of a distance method for deer census from pellet groups. *Journal of Wildlife Management* 39: 641-652.
- Becker, W.A. 1984. *A Manual of Quantitative Genetics*. Academic Enterprises, Pullman, Washington.
- Begon, M., Townsend, C.R., and Harper, J.L. 2006. *Ecology: from individuals to ecosystems*. 4th ed. John Wiley & Sons, New York.
- Berry, D.A. 1987. Logarithmic transformations in ANOVA. *Biometrics* 43: 439-456.
- Biggs, R., Carpenter, S.R., and Brock, W.A. 2009. Spurious certainty: how ignoring measurement error and environmental heterogeneity may contribute to

- environmental controversies. *BioScience* 59(1): 65-76.
doi:10.1525/bio.2009.59.1.10.
- Binns, M.R. 1994. Sequential sampling for classifying pest status. *In Handbook of Sampling Methods for Arthropods in Agriculture. Edited by L. P. Pedigo, and D. G. Buntin.* CRC press., Boca Raton, Florida. pp. 137-175.
- Binns, M.R., and Nyrop, J.P. 1992. Sampling insect populations for the purpose of IPM decision making. *Annual Review of Entomology* 37: 427-453.
- Blair, W.F. 1942. Size of home range and notes on life history of the woodland deer-mouse and eastern chipmunk in northern Michigan. *Journal of Mammalogy* 23: 27-36.
- Bondrup-Nielsen, S. 1983. Density estimation as a function of live-trapping grid and home range size. *Canadian Journal of Zoology* 61(10): 2361-2365.
doi:doi:10.1139/z83-313.
- Boonstra, R., and Krebs, C.J. 1978. Pitfall trapping of *Microtus townsendii*. *Journal of Mammalogy* 59: 136-148.
- Borchers, D.L., and Efford, M.G. 2008. Spatially explicit maximum likelihood methods for capture-recapture studies. *Biometrics* 64(2): 377-385.
- Borchers, D.L., Zucchini, W., and Fewster, R. 1998. Mark-recapture models for line transect surveys. *Biometrics* 54: 1207-1220. doi:10.2307/2533651.
- Bormann, F.H. 1953. The statistical efficiency of sample plot size and shape in forest ecology. *Ecology* 34: 474-487.
- Bowden, D.C., and Kufeld, R.C. 1995. Generalized mark-sight population size estimation applied to Colorado Moose. *Journal of Wildlife Management* 59: 840-851.
- Box, G.E.P., and Cox, D.R. 1964. An analysis of transformations. *Journal of the Royal Statistical Society Series B* 26: 211-252.
- Braaten, D.O. 1969. Robustness of the DeLury population estimator. *Journal of the Fisheries Research Board of Canada* 26: 339-355.
- Bråthen, K.A., Ims, R.A., Yoccoz, N.G., Fauchald, P., Tveraa, T., and Hausner, V.H. 2007. Induced shift in ecosystem productivity? Extensive scale effects of abundant large herbivores. *Ecosystems* 10: 773-789.
- Bray, J.R., and Curtis, J.T. 1957. An ordination of the upland forest communities of southern Wisconsin. *Ecological Monographs* 27: 325-349.
- Brito, A.F., Presley, S.J., and Santos, G.M.M. 2012. Temporal and trophic niche overlap in a guild of flower-visiting ants in a seasonal semi-arid tropical environment. *Journal of Arid Environments* 87: 161-167.
doi:10.1016/j.jaridenv.2012.07.001.

- Broennimann, O., Fitzpatrick, M.C., Pearman, P.B., Petitpierre, B., Pellissier, L., Yoccoz, N.G., Thuiller, W., Fortin, M.-J., Randin, C., Zimmermann, N.E., Graham, C.H., and Guisan, A. 2012. Measuring ecological niche overlap from occurrence and spatial environmental data. *Global Ecology and Biogeography* 21(4): 481-497. doi:10.1111/j.1466-8238.2011.00698.x.
- Brownie, C., Anderson, D.R., Burnham, K.P., and Robson, D.S. 1985. *Statistical inference from band recovery data - a handbook*. United States Fish and Wildlife Service, Resource Publication 156.
- Brummer, J.E., Nichols, J.T., Engel, R.K., and Eskridge, K.M. 1994. Efficiency of different quadrat sizes and shapes for sampling standing crop. *Journal of Range Management* 47(1): 84-89.
- Buckland, S.T., Anderson, D.R., Burnham, K.P., Laake, J.L., Borchers, D.L., and Thomas, L. 2001. *Introduction to Distance Sampling: Estimating Abundance of Biological Populations*. Oxford University Press, London.
- Burgess, J.W. 1983. Reply to a comment by R.L. Mumme et al. *Ecology* 64: 1307-1308.
- Burgess, J.W., Roulston, D., and Shaw, E. 1982. Territorial aggregation: An ecological spacing strategy in acorn woodpeckers. *Ecology* 63: 575-578.
- Burnham, K.P., and Anderson, D.R. 1984. The need for distance data in transect counts. *Journal of Wildlife Management* 48: 1248-1254.
- Burnham, K.P., Anderson, D.R., and Laake, J.L. 1980. Estimation of density from line transect sampling of biological populations. *Wildlife Monographs* 72: 1-202.
- Butler, C.D., and Trumble, J.T. 2012. Spatial dispersion and binomial sequential sampling for the potato psyllid (Hemiptera: Triozidae) on potato. *Pest Management Science* 68(6): 865-869. doi:10.1002/ps.3242.
- Byth, K. 1982. On robust distance-based intensity estimators. *Biometrics* 38: 127-135.
- Cain, A.J., and Sheppard, P.M. 1950. Selection in the polymorphic land snail *Cepaea nemoralis*. *Heredity* 4: 275-294.
- Campbell, D.J., and Clarke, D.J. 1971. Nearest neighbour tests of significance for non-randomness in the spatial distribution of singing crickets (*Teliogryllus commodus* (Walker)). *Animal Behaviour* 19: 750-756.
- Cao, M., Zhu, H., Wang, H., Lan, G., Hu, Y., Zhou, S., Deng, X., and Cui, J. 2008. *Xishuangbanna tropical seasonal rainforest dynamics plot: Tree distribution maps, diameter tables and species documentation*. Yunnan Science and Technology Press, Kunming, China.
- Carpenter, S.R., Frost, T.M., Heisey, D., and Kratz, T.K. 1989. Randomized intervention analysis and the interpretation of whole-ecosystem experiments. *Ecology* 70: 1142-1152.

- Caughley, G. 1970. Eruption of ungulate populations, with emphasis on Himalayan thar in New Zealand. *Ecology* 51: 53-72.
- Caughley, G. 1977a. *Analysis of Vertebrate Populations*. Wiley, London.
- Caughley, G. 1977b. Sampling in aerial survey. *Journal of Wildlife Management* 41(4): 605-615.
- Chambers, J.M., Cleveland, W.S., Kleiner, B., and Tukey, P.A. 1983. *Graphical Methods for Data Analysis*. Wadsworth, Belmont, California.
- Chao, A., Chazdon, R.L., Colwell, R.K., and Shen, T.-J. 2005. A new statistical approach for assessing similarity of species composition with incidence and abundance data. *Ecology Letters* 8(2): 148-159. doi:10.1111/j.1461-0248.2004.00707.x.
- Chao, A., Chazdon, R.L., Colwell, R.K., and Shen, T.-J. 2006. Abundance-based similarity indices and their estimation when there are unseen species in samples. *Biometrics* 62(2): 361-371. doi:10.1111/j.1541-0420.2005.00489.x.
- Chao, M.T. 1982. A general purpose unequal probability sampling plan. *Biometrika* 69: 653-656.
- Cheetham, A.H., and Hazel, J.E. 1969. Binary (presence-absence) similarity coefficients. *Journal of Paleontology* 43: 1130-1136.
- Cherry, S. 1996. A comparison of confidence interval methods for habitat use-availability studies. *Journal of Wildlife Management* 60: 653-658.
- Chesson, J. 1978. Measuring preference in selective predation. *ecology* 59: 211-215.
- Clapham, A.R. 1932. The form of the observational unit in quantitative ecology. *Journal of Ecology* 20: 192-197.
- Clark, P.J., and Evans, F.C. 1954. Distance to nearest neighbor as a measure of spatial relationships in populations. *Ecology* 35(4): 445-453.
- Cleveland, W.S. 1994. *The Elements of Graphing Data*. AT&T Bell Laboratories, Murray Hill, New Jersey.
- Clifford, H.T., and Stephenson, W. 1975. *An Introduction to Numerical Classification*. Academic Press, New York.
- Cochran, W.G. 1953. *Sampling Techniques*. 1 ed. Wiley, New York.
- Cochran, W.G. 1977. *Sampling Techniques*. 3rd edition ed. Wiley, New York.
- Cock, M.J.W. 1978. The assessment of preference. *Journal of Animal Ecology* 47: 805-816.
- Cohen, J. 1988. *Statistical Power Analysis for the Behavioral Sciences*. 2nd ed. ed. Lawrence Erlbaum Associates, Hillsdale, New Jersey.
- Cohen, J. 1992. A power primer. *Psychological Bulletin* 112: 155-159.

- Colwell, R.K., Chao, A., Gotelli, N.J., Lin, S.-Y., Mao, C.X., Chazdon, R.L., and Longino, J.T. 2012. Models and estimators linking individual-based and sample-based rarefaction, extrapolation and comparison of assemblages. *Journal of Plant Ecology* 5(1): 3-21. doi:10.1093/jpe/rtr044.
- Colwell, R.K., and Coddington, J.A. 1994. Estimating terrestrial biodiversity through extrapolation. *Philosophical Transactions of the Royal Society of London, Series B* 345(1): 101-118.
- Colwell, R.K., and Futuyma, D.J. 1971. On the measurement of niche breadth and overlap. *Ecology* 52: 567-576.
- Confer, J.L., and Moore, M.V. 1987. Interpreting selectivity indices calculated from field data or conditions of prey replacement. *Canadian Journal of Fisheries & Aquatic Sciences* 44: 1529-1533.
- Conroy, M.J., Hines, J.E., and Williams, B.K. 1989. Procedures for the analysis of band-recovery data and user instructions for program MULT. United States Fish and Wildlife Service, Resource Publication 175.
- Cooch, E., and White, G.C. 2010. Program MARK: A Gentle Introduction. 9th ed. <http://www.phidot.org/software/mark/docs/book/>
- Cook, L.M. 1971. *Coefficients of Natural Selection*. Hutchinson, London.
- Cottam, G., and Curtis, J.T. 1956. The use of distance measures in phytosociological sampling. *Ecology* 37: 451-460.
- Cox, D.R. 1958. *Planning of Experiments*. Wiley, New York.
- Cox, P.A. 1982. Vertebrate pollination and the maintenance of dioecism in *Freycinetia*. *American Naturalist* 120: 65-80.
- Czaplewski, R.L., Crowe, D.M., and McDonald, L.L. 1983. Sample sizes and confidence intervals for wildlife population ratios. *Wildlife Society Bulletin* 11: 121-128.
- Dale, M.R.T. 1999. *Spatial Pattern Analysis in Plant Ecology*. Cambridge University Press, Cambridge.
- Damon, R.A.J., and Harvey, W.R. 1987. *Experimental Design, ANOVA, and Regression*. Harper and Row, New York.
- Day, R.W., and Quinn, G.P. 1989. Comparisons of treatments after an analysis of variance in ecology. *Ecological Monographs* 59(4): 433-463.
- DeLury, D.B. 1947. On the estimation of biological populations. *Biometrics* 3: 145-167.
- Diaconis, P., and Efron, B. 1983. Computer-intensive methods in statistics. *Scientific American* 248(5): 116-130.
- Digby, P.G.N., and Kempton, R.A. 1987. *Multivariate Analysis of Ecological Communities*. Chapman & Hall, London.

- Diggle, P.J. 1983. *Statistical Analysis of Spatial Point Patterns*. Academic Press, London.
- Dochtermann, N.A., and Peacock, M.M. 2010. Differences in population size variability among populations and species of the family Salmonidae. *Journal of Animal Ecology* 79(4): 888-896. doi:10.1111/j.1365-2656.2010.01686.x.
- Donnelly, K. 1978. Simulations to determine the variance and edge-effect of total nearest neighbor distance. *In Simulation Methods in Archaeology. Edited by I. Hodder*. Cambridge University Press, London. pp. 91-95.
- Downing, J.A. 1979. Aggregation, transformation, and the design of benthos sampling programs. *Journal of the Fisheries Research Board of Canada* 36: 1454-1463.
- Downing, J.A., Perusse, M., and Frenette, Y. 1987. Effect of interreplicate variance on zooplankton sampling design and data analysis. *Limnology and Oceanography* 32: 673-680.
- Dragoni, D., Schmid, H.P., Grimmond, C.S.B., and Loescher, H.W. 2007. Uncertainty of annual net ecosystem productivity estimated using eddy covariance flux measurements. *Journal of Geophysical Research* 112(D17): D17102. doi:10.1029/2006jd008149.
- Duchesne, D., Gauthier, G., and Berteaux, D. 2011. Evaluation of a method to determine the breeding activity of lemmings in their winter nests. *Journal of Mammalogy* 92(3): 511-516. doi:10.1644/10-MAMM-A-279.1. .
- Eberhardt, L.L. 1967. Some developments in 'distance sampling'. *Biometrics* 23: 207-216.
- Eberhardt, L.L. 1978. Appraising variability in population studies. *Journal of Wildlife Management* 42: 207-238.
- Eberhardt, L.L. 1982. Calibrating an index by using removal data. *Journal of Wildlife Management* 46: 734-740.
- Eberhardt, L.L., and Thomas, J.M. 1991. Designing environmental field studies. *Ecological Monographs* 61: 53-74.
- Efron, B. 1982. *The Jackknife, the Bootstrap, and Other Resampling Plans*. Society of Industrial and Applied Mathematics, Philadelphia.
- Efron, B., and Tibshirani, R.J. 1993. *An Introduction to the Bootstrap*. Chapman and Hall, New York.
- Elliott, J.M. 1977. Some methods for the statistical analysis of samples of benthic invertebrates. *Freshwater Biological Station Association, Scientific Publication No. 25*: 1-142.

- Ellis, J.E., Wiens, J.A., Rodell, C.F., and Anway, J.C. 1976. A conceptual model of diet selection as an ecosystem process. *Journal of Theoretical Biology* 60: 93-108.
- Ellison, A.M. 2010. Partitioning diversity. *Ecology* 91(7): 1962-1963. doi:10.1890/09-1692.1.
- Elser, J.J., Bracken, M.E.S., Cleland, E.E., Gruner, D.S., Harpole, W.S., Hillebrand, H., Ngai, J.T., Seabloom, E.W., Shurin, J.B., and Smith, J.E. 2007. Global analysis of nitrogen and phosphorus limitation of primary producers in freshwater, marine and terrestrial ecosystems. *Ecology Letters* 10(12): 1135-1142.
- Engeman, R.M., Sugihara, R.T., and Dusenberry, W.E. 1994. A comparison of plotless density estimators using Monte Carlo simulation. *Ecology* 75: 1769-1779.
- Estes, J.A., Terborgh, J., Brashares, J.S., Power, M.E., Berger, J., Bond, W.J., Carpenter, S.R., Essington, T.E., Holt, R.D., Jackson, J.B.C., Marquis, R.J., Oksanen, L., Oksanen, T., Paine, R.T., Pickett, E.K., Ripple, W.J., Sandin, S.A., Scheffer, M., Schoener, T.W., Shurin, J.B., Sinclair, A.R.E., Soulé, M.E., Virtanen, R., and Wardle, D.A. 2011. Trophic downgrading of Planet Earth. *Science* 333(6040): 301-306. doi:10.1126/science.1205106.
- Everitt, B.S., Landau, S., Leese, M., and Stahl, D. 2011. *Cluster Analysis*. 5th ed. Wiley, New York.
- Fairweather, P.G. 1991. Statistical Power and Design Requirements for Environmental Monitoring. *Australian Journal of Marine and Freshwater Research* 42: 555-567.
- Faith, D.P. 1983. Asymmetric binary similarity measures. *Oecologia* 57: 287-290.
- Feinsinger, P., Spears, E.E., and Poole, R.W. 1981. A simple measure of niche breadth. *Ecology* 62: 27-32.
- Field, J.G. 1970. The use of numerical methods to determine benthic distribution patterns from dredgings in False Bay. *Transactions of the Royal Society of South Africa* 39: 183-200.
- Finney, D.J. 1941. On the distribution of a variate whose logarithm is normally distributed. *Journal of the Royal Statistical Society Series B* 7: 155-161.
- Fischler, K.J. 1965. The use of catch-effort, catch-sampling, and tagging data to estimate a population of blue crabs. *Transactions of the American Fisheries Society* 94: 287-310.
- Fortin, M.-J., and Dale, M.R.T. 2005. *Spatial Analysis: A Guide for Ecologists*. Cambridge University Press, Cambridge.
- Freeman, M.F., and Tukey, J.W. 1950. Transformations related to the angular and square root. *Annals of Mathematical Statistics* 21: 607-611.

- Garrod, D.J. 1967. Population dynamics of the arcto-Norwegian cod. *Journal of the Fisheries Research Board of Canada* 24: 145-190.
- Gaston, K.J., and Lawton, J.H. 1988. Patterns in the distribution and abundance of insect populations. *Nature* 331: 709-712.
- Geist, V. 1971. *Mountain Sheep: A Study in Behavior and Evolution*. University of Chicago Press, Chicago.
- Ginzburg, L.R., and Jensen, C.X.J. 2004. Rules of thumb for judging ecological theories. *Trends in Ecology and Evolution* 19(3): 121-126.
doi:10.1016/j.tree.2003.11.004.
- Goldman, C.R. 1960. Molybdenum as a factor limiting primary productivity in Castle Lake, California. *Science* 132: 1016-1017.
- Good, I.J. 1953. The population frequencies of species and the estimation of population parameters. *Biometrika* 40: 237-264.
- Goodman, L.A. 1965. On simultaneous confidence intervals for multinomial proportions. *Technometrics* 7: 247-254.
- Grant, P., and Grant, R. 2010. Ecological insights into the causes of an adaptive radiation from long-term study of Darwin's finches. *In The Ecology of Place: Contributions of place-based research to ecological and evolutionary understanding Edited by Ian Billick, and Mary V. Price*. University of Chicago Press, Chicago.
- Green, R.G., and Evans, C.A. 1940. Studies on a population cycle of snowshoe hares on the Lake Alexander area. *Journal of Wildlife Management* 4: 347-358.
- Green, R.H. 1966. Measurement of non-randomness in spatial distributions. *Researches in Population Ecology* 8: 1-7.
- Green, R.H. 1970. On fixed precision level sequential sampling. *Researches on Population Ecology* 12: 249-251.
- Green, R.H. 1979. *Sampling Design and Statistical Methods for Environmental Biologists*. Wiley, New York.
- Greig-Smith, P. 1979. Pattern in vegetation. *Journal of Ecology* 67: 755-779.
- Grinnell, J. 1917. The niche-relationships of the California Thrasher. *Auk* 34(4): 427-433.
- Gurevitch, J., and Chester Jr, S.T. 1986. Analysis of repeated measures experiments. *Ecology* 67: 251-254.
- Hair, J.F., Jr., Black, W.C., Babin, B.J., and Anderson, R.E. 2010. *Multivariate Data Analysis*. 7th ed. Prentice Hall, Upper Saddle River, New Jersey.
- Haldane, J.B.S. 1955. The measurement of variation. *Evolution* 9: 484.

- Hankin, D.G. 1984. Multistage sampling designs in fisheries research: applications in small streams. *Canadian Journal of Fisheries and Aquatic Sciences* 41: 1575-1591.
- Hanski, I. 1978. Some comments on the measurement of niche metrics. *Ecology* 59(1): 168-174.
- Hanson, W.R. 1963. Calculation of productivity, survival, and abundance of selected vertebrates from sex and age ratios. *Wildlife Monographs* 9: 1-60.
- Hayne, D.W. 1949. An examination of the strip census method for estimating animal populations. *Journal of Wildlife Management* 13: 145-157.
- Healy, W.M., and Welsh, C.J.E. 1992. Evaluating line transects to monitor gray squirrel populations. *Wildlife Society Bulletin* 20: 83-90.
- Heath, J.P. 2006. Quantifying temporal variability in population abundances. *Oikos* 115(3): 573-581. doi:10.1111/j.2006.0030-1299.15067.x.
- Heck, K.L.J., Van Belle, G., and Simberloff, D. 1975. Explicit calculation of the rarefaction diversity measurement and the determination of sufficient sample size. *Ecology* 56(6): 1459-1461.
- Heffner, R.A., Butler, M.J.I., and Reilly, C.K. 1996. Pseudoreplication revisited. *Ecology* 77: 2558-2562.
- Heisey, D.M., and Fuller, T.K. 1985. Evaluation of survival and cause-specific mortality rates using telemetry data. *Journal of Wildlife Management* 49: 668-674.
- Hendricks, W.A. 1956. *The Mathematical Theory of Sampling*. The Scarecrow Press, New Brunswick, New Jersey.
- Hensler, G.L. 1985. Estimation and comparison of functions of daily nest survival probabilities using the Mayfield method. *In Statistics in Ornithology. Edited by B.J.T. Morgan, and P.M. North*. Springer-Verlag, New York. pp. 289-301.
- Hilborn, R., and Stearns, S.C. 1982. On inference in ecology and evolutionary biology: the problem of multiple causes. *Acta Biotheoretica* 31: 145-164.
- Hill, M.O. 1973. Diversity and evenness: a unifying notation and its consequences. *Ecology* 54: 427-432.
- Hines, J.E., and Nichols, J.D. 2002. Investigations of potential bias in the estimation of λ using Pradel's (1996) model for capture-recapture data. *Journal of Applied Statistics* 29(1-4): 573-587.
- Hines, W.G.S., and Hines, R.J. 1979. The Eberhardt statistic and the detection of nonrandomness of spatial point distributions. *Biometrika* 66: 73-79.
- Hinkelmann, K., and Kempthorne, O. 2008. *Design and Analysis of Experiments*. 2nd ed. Wiley Interscience, Hoboken, N.J.

- Hoisæter, T., and Matthiesen, A. 1979. Report on Some Statistical Aspects of Marine Biological Sampling. San Carlos Publications, University of San Carlos.
- Holt, R.D. 1987. On the relation between niche overlap and competition: the effect of incommensurable niche dimensions. *Oikos* 48: 110-114.
- Hone, J. 2007. Wildlife Damage Control. CSIRO Publishing, Collingwood, Victoria.
- Horn, H.S. 1966. Measurement of "overlap" in comparative ecological studies. *American Naturalist* 100: 419-424.
- Hoyle, M.H. 1973. Transformations - An introduction and a bibliography. *International Statistical Review* 41: 203-223.
- Huhta, V. 1979. Evaluation of different similarity indices as measures of succession in arthropod communities of the forest floor after clear-cutting. *Oecologia* 41: 11-23.
- Hunt, G.L., Eppley, Z.A., and Schneider, D.C. 1986. Reproductive performance of seabirds: the importance of population size and colony size. *Auk* 103: 306-317.
- Hurlbert, S.H. 1971. The non-concept of species diversity: a critique and alternative parameters. *Ecology* 52: 577-586.
- Hurlbert, S.H. 1978. The measurement of niche overlap and some relatives. *Ecology* 59: 67-77.
- Hurlbert, S.H. 1984. Pseudoreplication and the design of ecological field experiments. *Ecological Monographs* 54: 187-211.
- Hurlbert, S.H. 1990a. *Pastor binocularis*: now we have no excuse. *Ecology* 71(3): 1222-1223.
- Hurlbert, S.H. 1990b. Spatial distribution of the montane unicorn. *Oikos* 58: 257-271.
- Hurlbert, S.H. 1994. Old shibboleths and new syntheses *Trends in Ecology and Evolution* 9(12): 495-496.
- Hurlbert, S.H. 2013. Pseudofactorialism, response structures and collective responsibility. *Austral Ecology* 38. doi:10.1111/aec.12010.
- Hurlbert, S.H., and Lombardi, C.M. 2009. Final collapse of the Neyman-Pearson decision theoretic framework and rise of the neoFisherian. *Annales Zoologici Fennici* 48(5): 311-349.
- Hutchings, M.J., Booth, K.D., and Waite, S. 1991. Comparison of survivorship by the logrank test: criticisms and alternatives. *Ecology* 72: 2290-2293.
- Iachan, R. 1985. Optimum stratum boundaries for shellfish surveys. *Biometrics* 41: 1053-1062.
- Iwao, S. 1975. A new method of sequential sampling to classify populations relative to a critical density. *Researches in Population Ecology* 16: 281-288.

- Jackson, C.H.N. 1933. On the true density of tsetse flies. *Journal of Animal Ecology* 2: 204-209.
- Jackson, D.A., Somers, K.M., and Harvey, H.H. 1989. Similarity coefficients: measures of co-occurrence and association or simply measures of occurrence? *American Naturalist* 133(3): 436-453.
- Jacobs, J. 1974. Quantitative measurement of food selection. *Oecologia* 14: 413-417.
- Jensen, A.L. 1986. Functional regression and correlation analysis. *Canadian Journal of Fisheries and Aquatic Sciences* 43: 1742-1745.
- Jessen, R.J. 1978. *Statistical Survey Techniques*. Wiley, New York.
- Johnson, D.H. 1979. Estimating nest success: the Mayfield method and an alternative. *Ornithology* 96: 651-671.
- Johnson, D.H. 1980. The comparison of usage and availability measurements for evaluating resource preference. *Ecology* 61: 65-71.
- Johnson, D.H. 2002. The importance of replication in wildlife research. *Journal of Wildlife Management* 66(4): 919-932.
- Johnson, D.H., and Grier, J.W. 1988. Determinants of breeding distributions of ducks. *Wildlife Monographs* 100: 1-37.
- Johnson, D.H., and Klett, A.T. 1985. Quick estimates of success rates of duck nests. *Wildlife Society Bulletin* 13: 51-53.
- Johnson, E.G., and Routledge, R.D. 1985. The line transect method: a nonparametric estimator based on shape restriction. *Biometrics* 41: 669-679.
- Jolly, G.M., and Dickson, J.M. 1983. The problem of unequal catchability in mark-recapture estimation of small mammal populations. *Canadian Journal of Zoology* 61: 922-927.
- Joule, J., and Cameron, G.N. 1975. Species removal studies. I. Dispersal strategies of sympatric *Sigmodon hispidus* and *Reithrodontomys fulvescens* populations. *Journal of Mammalogy* 56: 378-396.
- Kamil, A.C. 1988. Experimental design in ornithology. *Current Ornithology* 5: 313-346.
- Karr, J.R. 1982. Population variability and extinction in the avifauna of a tropical landbridge island. *Ecology* 63: 1975-1978.
- Kastenbaum, M.A., Hoel, D.G., and Bowman, K.O. 1970. Sample size requirements: one-way analysis of variance. *Bimetrika* 57: 421-430.
- Kearney, M., and Porter, W. 2009. Mechanistic niche modelling: combining physiological and spatial data to predict species' ranges. *Ecology Letters* 12(4): 334-350. doi:10.1111/j.1461-0248.2008.01277.x.

- Keith, L.B., Cary, J.R., Rongstad, O.J., and Brittingham, M.C. 1984. Demography and ecology of a declining snowshoe hare population. *Wildlife Monographs* 90: 1-43.
- Keith, L.B., and Windberg, L.A. 1978. A demographic analysis of the snowshoe hare cycle. *Wildlife Monographs* 58: 1-70.
- Kelker, G.H. 1940. Estimating deer populations by a differential hunting loss in the sexes. *Utah Academy of Science and Arts Letters* 17: 6-69.
- Kenward, R. 1987. *Wildlife Radio Tagging*. Academic Press, London.
- Koleff, P., Gaston, K.J., and Lennon, J.J. 2003. Measuring beta diversity for presence-absence data. *Journal of Animal Ecology* 72(3): 367-382. doi:10.1046/j.1365-2656.2003.00710.x.
- Kraemer, H.C., and Thiemann, S. 1987. *How many subjects?* Sage Publications, Newbury Park, California.
- Krebs, C.J. 1966. Demographic changes in fluctuating populations of *Microtus californicus*. *Ecological Monographs* 36: 239-273.
- Krebs, C.J. 2009. *Ecology: The Experimental Analysis of Distribution and Abundance*. 6th ed. Benjamin Cummings, San Francisco.
- Kuno, E. 1969. A new method of sequential sampling to obtain the population estimates with a fixed level of precision. *Researches on Population Ecology* 11: 127-136.
- Kuno, E. 1972. Some notes on population estimation by sequential sampling. *Researches in Population Ecology* 14: 58-73.
- Kuno, E. 1991. Sampling and analysis of insect populations. *Annual Review of Entomology* 36: 285-304.
- Laake, J., Dawson, M.J., and Hone, J. 2008. Visibility bias in aerial survey: mark-recapture, line-transect or both? . *Wildlife Research* 35: 299-309. doi:10.1071/WR07034.
- Lachin, J.M., and Foulkes, M.A. 1986. Evaluation of sample size and power for analyses of survival with allowance for nonuniform patient entry, losses to follow-up, noncompliance, and stratification. *Biometrics* 42: 507-519.
- Lebreton, J.D., Burnham, K.P., Clobert, J., and Anderson, D.R. 1992. Modeling survival and testing biological hypotheses using marked animals: a unified approach with case studies. *Ecological Monographs* 62: 67-118.
- Lebreton, J.D., and North, P.M. (eds). 1993. *Marked Individuals in the Study of Bird Population*. Birkhauser Verlag, Basel.
- Lebreton, J.D., Pradel, R., and Clobert, J. 1993a. The statistical analysis of survival in animal populations. *Trends in Ecology and Evolution* 8: 91-94.

- Lebreton, J.D., Reboulet, A.M., and Banco, G. 1993b. An overview of software for terrestrial vertebrate population dynamics. *In* *Marked Individuals in the Study of Bird Population*. Edited by J.D. Lebreton, and P.M. North. Birkhauser Verlag, Basel. pp. 357-372.
- Lee, E.T. 1992. *Statistical Methods for Survival Data Analysis*. John Wiley & Sons, New York.
- Legendre, L., and Legendre, P. 2012. *Numerical Ecology*. 3rd ed. Elsevier, Amsterdam.
- Legendre, P., Dale, M.R.T., Fortin, M.J., Gurevitch, J., Hohn, M., and Myers, D. 2002. The consequences of spatial structure for the design and analysis of ecological field surveys. *Ecography* 25(5): 601-615.
- Leslie, P.H., and Davis, D.H.S. 1939. An attempt to determine the absolute number of rats on a given area. *Journal of Animal Ecology* 8(1): 94-113.
- Leslie, P.H., Tener, J.S., Vizoso, M., and Chitty, H. 1955. The longevity and fertility of the Orkney vole, *Microtus orcadensis*, as observed in the laboratory. *Proceedings of the Zoological Society of London* 125(1): 115-125.
- Lessells, C.M., and Boag, P.T. 1987. Unrepeatable repeatabilities: a common mistake. *Auk* 104: 116-121.
- Levings, S.C., and Franks, N.R. 1982. Patterns of nest dispersion in a tropical ground ant community. *Ecology* 63: 338-344.
- Lewontin, R. 1966. On the measurement of relative variability. *Systematic Zoology* 15: 141-142.
- Lieberman, G.J., and Owen, D.B. 1961. *Tables of the Hypergeometric Probability Distribution*. Stanford University Press, Stanford, California.
- Lincoln, F.C. 1930. Calculating waterfowl abundance on the basis of banding returns. U.S. Department of Agriculture Circular 118: 1-4.
- Lindroth, R.L., and Batzli, G.O. 1984. Food habits of the meadow vole (*Microtus pennsylvanicus*) in bluegrass and prairie habitats. *Journal of Mammalogy* 65: 600-606.
- Linton, L.R., Davies, R.W., and Wrona, F.J. 1981. Resource utilization indices: an assessment. *Journal of Animal Ecology* 50: 283-292.
- Lloyd, M. 1967. 'Mean crowding'. *Journal of Animal Ecology* 36: 1-30.
- Lloyd, M., and Ghelardi, R.J. 1964. A table for calculating the 'equitability' component of species diversity. *Journal of Animal Ecology* 33(2): 217-225.
- Losos, E.C., and Leigh, E.G., Jr (eds). 2004. *Tropical forest diversity and dynamism: Findings from a large-scale plot network*. University of Chicago Press, Chicago.

- MacArthur, R.H. 1968. The theory of the niche. *In* Population Biology and Evolution. Edited by R.C. Lewontin. Syracuse University Press, Syracuse, New York. pp. 159-176.
- MacArthur, R.H., and Levins, R. 1967. The limiting similarity, convergence, and divergence of coexisting species. *American Naturalist* 101: 377-385.
- Mace, A.E. 1964. Sample-Size Determination. Reinhold, New York.
- Magurran, A.E. 2004. Measuring Biological Diversity. Blackwell Publishing, Oxford.
- Mahon, R., Smith, R.W., Bernstein, B.B., and Scott, J.S. 1984. Spatial and temporal patterns of groundfish distribution on the Scotian Shelf and in the Bay of Fundy, 1970-1981. Canadian Technical Reports in Fisheries and Aquatic Sciences No. 1300.
- Manly, B.F.J. 1974. A model for certain types of selection experiments. *Biometrics* 30: 281-294.
- Manly, B.F.J. 1991. Randomization and Monte Carlo Methods in Biology. Chapman and Hall, New York.
- Manly, B.F.J. 2001. Statistics for Environmental Science and Management. Chapman and Hall, New York.
- Manly, B.F.J., McDonald, L.L., and Thomas, D.L. 1993. Resource Selection by Animals: Statistical Design and Analysis for Field Studies. Chapman & Hall, London.
- Manly, B.F.J., Miller, P., and Cook, L.M. 1972. Analysis of a selective predation experiment. *American Naturalist* 106: 719-736.
- Martin, J.-L., Stockton, S., Allombert, S., and Gaston, A. 2010. Top-down and bottom-up consequences of unchecked ungulate browsing on plant and animal diversity in temperate forests: lessons from a deer introduction. *Biological Invasions* 12(2): 353-371. doi:10.1007/s10530-009-9628-8.
- Maurer, B.A. 1982. Statistical inference for MacArthur-Levins niche overlap. *Ecology* 63: 1712-1719.
- Mayfield, H. 1961. Nesting success calculated from exposure. *Wilson Bulletin* 73: 255-261.
- Mayfield, H. 1975. Suggestions for calculating nest success. *Wilson Bulletin* 87: 456-466.
- McArdle, B., and Gaston, K. 1993. The temporal variability of populations. *Oikos* 67: 187-191.
- McArdle, B.H., and Gaston, K.J. 1992. Comparing population variabilities. *Oikos* 64: 610-612.

- McArdle, B.H., Gaston, K.J., and Lawton, J.H. 1990. Variation in the size of animal populations: patterns, problems and artifacts. *Journal of Animal Ecology* 59: 439-454.
- McIntosh, R.P. 1967. An index of diversity and the relation of certain concepts to diversity. *Ecology* 48: 392-404.
- Mead, R. 1988. *The Design of Experiments: Statistical Principles for Practical Application*. Cambridge University Press, Cambridge.
- Meyer, J.S., Ingersoll, C.G., McDonald, L.L., and Boyce, M.S. 1986. Estimating uncertainty in population growth rates: jackknife vs. bootstrap techniques. *Ecology* 67(5): 1156-1166.
- Milne, A. 1959. The centric systematic area-sample treated as a random sample. *Biometrics* 15: 270-297.
- Morin, A. 1985. Variability of density estimates and the optimization of sampling programs for stream benthos. *Canadian Journal of Fisheries and Aquatic Sciences* 42: 1530-1534.
- Morisita, M. 1959. Measuring of interspecific association and similarity between communities. *Memoirs of the Faculty of Science Kyushu University Series E* 3: 65-80.
- Morisita, M. 1962. Id-index, a measure of dispersion of individuals. *Researches in Population Ecology* 4: 1-7.
- Mueller, L.D., and Altenberg, L. 1985. Statistical inference on measures of niche overlap. *Ecology* 66: 1204-1210.
- Mumme, R.L., Koenig, W.D., and Pitelka, F.A. 1983. Are acorn woodpecker territories aggregated? *Ecology* 64: 1305-1307.
- Musyl, M.K., Domeier, M.L., Nasby-Lucas, N., Brill, R.W., McNaughton, L.M., Swimmer, J.Y., Lutcavage, M.S., Wilson, S.G., Galuardi, B., and Liddle, J.B. 2011. Performance of pop-up satellite archival tags *Marine Ecology-Progress Series* 433: 1-28. doi:DOI: 10.3354/meps09202
- Myers, J.H. 1978. Selecting a measure of dispersion. *Environmental Entomology* 7: 619-621.
- Nakagawa, S., and Cuthill, I.C. 2007. Effect size, confidence interval and statistical significance: a practical guide for biologists. *Biological Reviews* 82(4): 591-605. doi:10.1111/j.1469-185X.2007.00027.x.
- Nakagawa, S. and H. Schielzeth. 2010. Repeatability for Gaussian and non-Gaussian data: a practical guide for biologists. *Biological Reviews* 85, 935-956. doi:10.1111/j.1469-185X.2010.00141.x

- Neal, A.K., White, G.C., Gill, R.B., Reed, D.F., and Otterman, J.H. 1993. Evaluation of mark-resight model assumptions for estimating mountain sheep numbers. *Journal of Wildlife Management* 57: 436-450.
- Nelson, T.C. 1955. Chestnut replacement in the Southern Highlands. *Ecology* 36(2): 352-353. doi:10.2307/1933248.
- Neu, C.W., Byers, C.R., and Peek, J.M. 1974. A technique for analysis of utilization-availability data. *Journal of Wildlife Management* 38: 541-545.
- Nielson, R.M., Sugihara, R.T., Boardman, T.J., and Engeman, R.M. 2004. Optimization of ordered distance sampling. *Environmetrics* 15(2): 119-128.
- Noreen, E.W. 1990. *Computer Intensive Methods for Testing Hypotheses: An Introduction*. John Wiley and Sons, New York.
- Nyrop, J.P., and Binns, M. 1991. Quantitative methods for designing and analyzing sampling programs for use in pest management. *In Handbook of Pest Management in Agriculture. Edited by D. Pimentel*. CRC Press, Boca Raton, Florida. pp. 67-132.
- Nyrop, J.P., and Simmons, G.A. 1984. Errors incurred when using Iwao's sequential decision rule in insect sampling. *Environmental Entomology* 13: 1459-1465.
- O'Brien, C., van Riper, C., and Myers, D.E. 2009. Making reliable decisions in the study of wildlife diseases: using hypothesis tests, statistical power, and observed effects. *Journal of Wildlife Diseases* 45(3): 700-712.
- Olsson, U. 2005. Confidence intervals for the mean of a log-normal distribution. *Journal of Statistics Education* 13(1).
- Osenberg, C.W., and Schmitt, R.J. 1994. Detecting human impacts in marine habitats. *Ecological Applications* 4: 1-2.
- Osenberg, C.W., Schmitt, R.J., Holbrook, S.J., Abu-Saba, K.E., and Flegal, A.R. 1994. Detection of environmental impacts: natural variability, effect size, and power analysis. *Ecological Applications* 4(1): 16-30.
- Ossiander, F.J., and Wedemeyer, G. 1973. Computer program for sample sizes required to determine disease incidence in fish populations. *Journal of the Fisheries Research Board of Canada* 30: 1383-1384.
- Otis, D.L., Burnham, K.P., White, G.C., and Anderson, D.R. 1978. Statistical inference from capture data on closed animal populations. *Wildlife Monographs* 62: 1-135.
- Patil, G.P., Pielou, E.C., and Walters, W.E. (eds). 1971. *Spatial Patterns and Statistical Distributions*. Pennsylvania State University Press, University Park, Pennsylvania.
- Patrick, R. 1968. The structure of diatom communities in similar ecological conditions. *American Naturalist* 102: 173-183.

- Paulik, G.J., and Robson, D.S. 1969. Statistical calculations for change-in-ratio estimators of population parameters. *Journal of Wildlife Management* 33: 1-27.
- Perry, J.N. 1988. Some models for spatial variability of animal species. *Oikos* 51: 124-130.
- Perry, J.N. 1995a. Spatial analysis by distance indices. *Journal of Animal Ecology* 64: 303-314.
- Perry, J.N. 1995b. Spatial aspects of animal and plant distribution in patchy farmland habitats. *In Ecology and Integrated Farming Systems. Edited by D.M. Glen, M.P. Greaves, and H.M. Anderson.* Wiley, New York. pp. 221-242.
- Perry, J.N., and Hewitt, M. 1991. A new index of aggregation for animal counts. *Biometrics* 45: 1505-1518.
- Peterman, R.M. 1990. Statistical power analysis can improve fisheries research and management. *Canadian Journal of Fisheries & Aquatic Sciences* 47: 2-15.
- Peterson, A.T., Soberón, J., Pearson, R.G., Anderson, R.P., Martínez-Meyer, E., Nakamura, M., and Araújo, M.B. 2011. *Ecological Niches and Geographic Distributions.* Princeton University Press, Princeton, New Jersey. p. 326.
- Peterson, C.H., McDonald, L.L., Green, R.H., and Erickson, W.P. 2001. Sampling design begets conclusions: the statistical basis for detection of injury to and recovery of shoreline communities after the 'Exxon Valdez' oil spill. *Marine Ecology Progress Series* 210: 255-283. doi:10.3354/meps210255.
- Petraitis, P.S. 1979. Likelihood measures of niche breadth and overlap. *Ecology* 60: 703-710.
- Pianka, E.R. 1973. The structure of lizard communities. *Annual Review of Ecology and Systematics* 4: 53-74.
- Pianka, E.R. 1974. Niche overlap and diffuse competition. *Proceedings of the National Academy of Sciences of the USA* 71: 2141-2145.
- Pianka, E.R. 1986. *Ecology and Natural History of Desert Lizards.* Princeton University Press, Princeton, New Jersey.
- Pielou, E.C. 1969. *An Introduction to Mathematical Ecology.* Wiley, New York.
- Pielou, E.C. 1977. *Mathematical Ecology.* Wiley, New York.
- Pielou, E.C. 1984. *The Interpretation of Ecological Data.* Wiley, New York.
- Pollock, K.H., Lancia, R.A., Conner, M.C., and Wood, B.L. 1985. A new change-in-ratio procedure robust to unequal catchability of types of animal. *Biometrics* 41: 653-662.
- Pollock, K.H., Nichols, J.D., Brownie, C., and Hines, J.E. 1990. Statistical inference for capture-recapture experiments. *Wildlife Monographs* 107: 1-97.

- Pollock, K.H., Winterstein, S.R., Bunck, C.M., and Curtis, P.D. 1989a. Survival analysis in telemetry studies: the staggered entry design. *Journal of Wildlife Management* 53(1): 7-15.
- Pollock, K.H., Winterstein, S.R., and Conroy, M.J. 1989b. Estimation and analysis of survival distributions for radio-tagged animals. *Biometrics* 45: 99-109.
- Popper, K.R. 1963. *Conjectures and Refutations: The Growth of Scientific Knowledge*. Routledge and Kegan Paul, London.
- Porteus, T.A., Richardson, S.M., and Reynolds, J.C. 2011. The importance of survey design in distance sampling: field evaluation using domestic sheep. *Wildlife Research* 38(3): 221-234. doi:10.1071/WR10234
- Pulliam, H.R., and Waser, N.M. 2010. The idiosyncrasy of place and the search for ecological invariants. *In The Ecology of Place: Contributions of place-based research to ecological and evolutionary understanding*. Edited by Ian Billick, and Mary V. Price. University of Chicago Press, Chicago.
- Pyke, D.A., and Thompson, J.N. 1986. Statistical analysis of survival and removal rate experiments. *Ecology* 67: 240-245.
- Quenouille, M.H. 1950. *Introductory Statistics*. Butterworth-Springer, London.
- Rapport, D.J., and Turner, J.E. 1970. Determination of predator food preferences. *Journal of Theoretical Biology* 26: 365-372.
- Rasmussen, D.I., and Doman, E.R. 1943. Census methods and their applications in the management of mule deer. *Transactions of the North American Wildlife Conference* 8: 369-379.
- Reisig, D.D., Godfrey, L.D., and Marcum, D.B. 2011. Spatial dependence, dispersion, and sequential sampling of *Anaphothrips obscurus* (Thysanoptera: Thripidae) in timothy. *Environmental Entomology* 40(3): 689-696. doi:10.1603/EN10225.
- Renkonen, O. 1938. Statisch-okologische Untersuchungen uber die terrestische kaferwelt der finnischen bruchmoore. *Ann. Zool. Soc. Bot. Fenn. Vanamo* 6: 1-231.
- Rice, W.R., and Gaines, S.D. 1994. 'Heads I win, tails you lose': testing directional alternative hypotheses in ecological and evolutionary research. *Trends in Ecology and Evolution* 9: 235-237.
- Ricker, W.E. 1973. Linear regressions in fishery research. *Journal of the Fisheries Research Board of Canada* 30: 409-434.
- Ricker, W.E. 1975. Computation and interpretation of biological statistics of fish populations. *Fisheries Research Board of Canada Bulletin* 191: 1-382.
- Ricker, W.E. 1984. Computation and uses of central trend lines. *Canadian Journal of Zoology* 62: 1897-1905.

- Ricklefs, R.E., and Lau, M. 1980. Bias and dispersion of overlap indices: results of some Monte Carlo simulations. *Ecology* 61: 1019-1024.
- Ripley, B.D. 1981. *Spatial Statistics*. Wiley, New York.
- Ripley, B.D. 1985. Analyses of nest spacings. *In Statistics in Ornithology*. Edited by B.J.T. Morgan, and P.M. North. Springer-Verlag, Berlin. pp. 151-158.
- Robson, D.S., and Chapman, D.G. 1961. Catch curves and mortality rates. *Transactions of the American Fisheries Society* 90: 181-189.
- Robson, D.S., and Regier, H.A. 1964. Sample size in Petersen mark-recapture experiments. *Transactions of the American Fisheries Society* 93(3): 215-226.
- Rodgers, A.R., and Lewis, M.C. 1985. Diet selection in Arctic lemmings (*Lemmus sibericus* and *Dicrostonyx groenlandicus*): food preferences. *Canadian Journal of Zoology* 63: 1161-1173.
- Roff, D.A. 1973. On the accuracy of some mark-recapture estimators. *Oecologia* 12: 15-34.
- Rohlf, F.J. 1995. BIOM. A Package of Statistical Programs to Accompany the Text *Biometry*. Exeter Software, Setauket, New York.
- Romesburg, H.C. 1984. *Cluster Analysis for Researchers*. Lifetime Learning Publications, Belmont, California.
- Routledge, R.D., and Fyfe, D.A. 1992a. Confidence limits for line transect estimates based on shape restrictions. *Journal of Wildlife Management* 56: 402-407.
- Routledge, R.D., and Fyfe, D.A. 1992b. Wildlife Software: Transan: line transect estimates based on shape restrictions. *Wildlife Society Bulletin* 20: 455-456.
- Rowell, J.G., and Walters, D.E. 1976. Analysing data with repeated observations on each experimental unit. *Journal of Agricultural Science* 87: 423-432.
- Saitoh, T., Stenseth, N.C., and Bjørnstad, O.N. 1997. Density dependence in fluctuating grey-sided vole populations. *Journal of Animal Ecology* 66: 14-24.
- Samuel, E. 1969. Comparison of sequential rules for estimation of the size of a population. *Biometrics* 25: 517-535.
- Sanders, H.L. 1968. Marine benthic diversity: a comparative study. *American Naturalist* 102: 243-282.
- Savage, R.E. 1931. The relation between the feeding of the herring off the east coast of England and the plankton of the surrounding waters. *Fishery Investigations, Ministry of Agriculture, Food, and Fisheries, Series 2* 12: 1-88.
- Scheiner, S.M., and Willig, M.R. 2011. *The Theory of Ecology*. University of Chicago Press, Chicago.
- Scheldeman, X., and van Zonneveld, M. 2010. *Training Manual on Spatial Analysis of Plant Diversity and Distribution*. Biodiversity International, Rome. p. 179.

- Schindler, D.W. 2006. Recent advances in the understanding and management of eutrophication. *Limnology & Oceanography* 51: 356-363.
- Schluter, D. 1982. Seed and patch selection by Galapagos ground finches: relation to foraging efficiency and food supply. *Ecology* 63: 1106-1120.
- Schmidt, J.H., Rattenbury, K.L., Lawler, J.P., and Maccluskie, M.C. 2012. Using distance sampling and hierarchical models to improve estimates of Dall's sheep abundance. *Journal of Wildlife Management* 76(2): 317-327. doi:10.1002/jwmg.216.
- Schnabel, Z.E. 1938. The estimation of the total fish population of a lake. *American Mathematician Monthly* 45: 348-352.
- Schnute, J. 1983. A new approach to estimating populations by the removal method. *Canadian Journal of Fisheries and Aquatic Sciences* 40: 2153-2169.
- Schnute, J. 1984. Linear mixtures: a new approach to bivariate trend lines. *Journal of the American Statistical Association* 79: 1-8.
- Schoener, T.W. 1970. Nonsynchronous spatial overlap of lizards in patchy habitats. *Ecology* 51: 408-418.
- Schoener, T.W. 1974. Some methods for calculating competition coefficients from resource-utilization spectra. *American Naturalist* 108: 332-340.
- Schumacher, F.X., and Eschmeyer, R.W. 1943. The estimation of fish populations in lakes and ponds. *Journal of the Tennessee Academy of Sciences* 18: 228-249.
- Schweigert, J.F., and Sibert, J.R. 1983. Optimizing survey design for determining age structure of fish stocks: an example from British Columbia Pacific herring (*Clupea harengus pallasii*). *Canadian Journal of Fisheries and Aquatic Sciences* 40: 588-597.
- Seber, G.A.F. 1982. *The Estimation of Animal Abundance*. 2nd ed. Charles Griffin and Company, London.
- Shadish, W.R., Cook, T.D., and Campbell, D.T. 2002. *Experimental and Quasi-Experimental Designs for Generalized Causal Inference*. Houghton Mifflin Company, New York.
- Shaw, R.G., and Mitchell-Olds, T. 1993. ANOVA for unbalanced data: an overview. *Ecology* 74: 1638-1645.
- Shine, R., and Lambeck, R. 1989. Ecology of frillneck lizards, *Chlamydosaurus kingii* (Agamidae), in tropical Australia. *Australian Wildlife Research* 16(5): 491-500. doi:10.1071/WR9890491
- Siegel, S., and Castellan, N.J. 1988. *Nonparametric Statistics for the Behavioral Sciences*. 2nd. ed. McGraw-Hill, New York.
- Simberloff, D.S. 1972. Properties of the rarefaction diversity measurement. *American Naturalist* 106: 414-418.

- Simpson, E.H. 1949. Measurement of diversity. *Nature* 163: 688.
- Sinclair, A.R.E. 1977. *The African Buffalo: A Study of Resource Limitation of Populations*. University of Chicago Press, Chicago.
- Sinclair, A.R.E., Fryxell, J.M., and Caughley, G. 2006. *Wildlife Ecology, Conservation, and Management*. 2nd ed. Blackwell Publishing, Oxford.
- Sinclair, D.F. 1985. On tests of spatial randomness using mean nearest neighbor distance. *Ecology* 66: 1084-1085.
- Sinervo, B., Méndez-de-la-Cruz, F., Miles, D.B., Heulin, B., Bastiaans, E., Villagrán-Santa Cruz, M., Lara-Resendiz, R., Martínez-Méndez, N., Calderón-Espinosa, M.L., Meza-Lázaro, R.N., Gadsden, H., Avila, L.J., Morando, M., De la Riva, I.J., Sepulveda, P.V., Rocha, C.F.D., Ibarngüengoytía, N., Puntriano, C.A., Massot, M., Lepetz, V., Oksanen, T.A., Chapple, D.G., Bauer, A.M., Branch, W.R., Clobert, J., and Sites, J.W. 2010. Erosion of lizard diversity by climate change and altered thermal niches. *Science* 328(5980): 894-899. doi:10.1126/science.1184695.
- Siniff, D.B., and Skoog, R.O. 1964. Aerial censusing of caribou using stratified random sampling. *Journal of Wildlife Management* 28: 391-401.
- Slocum, C.J. 1980. Differential susceptibility to grazers in two phases of an intertidal alga: advantages of heteromorphic generations. *Journal of Experimental Marine Biology and Ecology* 46: 99-110.
- Smith, D.R., Hardy, I.C.W., and Gammell, M.P. 2011. Power rangers: no improvement in the statistical power of analyses published in *Animal Behaviour*. *Animal Behaviour* 81(1): 347-352. doi:10.1016/j.anbehav.2010.09.026.
- Smith, E.P. 1982. Niche breadth, resource availability, and inference. *Ecology* 63: 1675-1681.
- Smith, E.P., and Zaret, T.M. 1982. Bias in estimating niche overlap. *Ecology* 63: 1248-1253.
- Smith, R.J. 2009. Use and misuse of the reduced major axis for line-fitting. *American Journal of Physical Anthropology* 140(3): 476-486. doi:10.1002/ajpa.21090.
- Smith, T., and Polacheck, T. 1981. Reexamination of the life table for northern fur seals with implications about population regulatory mechanisms. *In Dynamics of Large Mammal Populations*. Edited by C.W. Fowler, and T.D. Smith. Wiley, New York. pp. 99-120.
- Smith, T.G. 1987. The ringed seal, *Phoca hispida*, of the Canadian Western Arctic. *Canadian Bulletin of Fisheries and Aquatic Sciences* 216: 216.
- Snedecor, G.W., and Cochran, W.G. 1967. *Statistical Methods*. 6th edition ed. Iowa State College Press, Ames, Iowa.

- Soberón, J. 2007. Grinnellian and Eltonian niches and geographic distributions of species. *Ecology Letters* 10(12): 1115-1123. doi:10.1111/j.1461-0248.2007.01107.x.
- Sokal, R.R., and Rohlf, F.J. 2012. *Biometry : the principles and practice of statistics in biological research* W.H. Freeman, New York.
- Sorensen, T. 1948. A method of establishing groups of equal amplitude in plant sociology based on similarity of species content and its application to analyses of the vegetation on Danish commons. *Kong. Danish Vidensk. Selsk. Biol. Skr. (Copenhagen)* 5(4): 1-34.
- Southwell, C. 1994. Evaluation of walked line transect counts for estimating macropod density. *Journal of Wildlife Management* 58(2): 348-356.
- Southwell, C., Paxton, C.G.M., and Borchers, D.L. 2008. Detectability of penguins in aerial surveys over the pack-ice off Antarctica. *Wildlife Research* 35(4): 349-357. doi:10.1071/WR07093.
- Sprugel, D.G. 1983. Correcting for bias in log-transformed allometric equations. *Ecology* 64: 209-210.
- Steel, R.G.D., and Torrie, J.H. 1980. *Principles and Procedures of Statistics: A Biometrical Approach*. 2nd ed. ed. McGraw-Hill Kogakusha Ltd., Tokyo.
- Stenseth, N.C., and Hansson, L. 1979. Correcting for the edge effect in density estimation: explorations around a new method. *Oikos* 32: 337-348.
- Stephens, D.W., and Krebs, J.R. 1986. *Foraging Theory*. Princeton University Press, Princeton, New Jersey.
- Stewart-Oaten, A., Bence, J.R., and Osenberg, C.W. 1992. Assessing effects of unreplicated perturbations: no simple solution. *Ecology* 73: 1396-1404.
- Stewart-Oaten, A., Murdoch, W.W., and Walde, S.J. 1995. Estimation of temporal variability in populations. *The American Naturalist* 146: 519-535.
- Sukhatme, P.V., and Sukhatme, B.V. 1970. *Sampling Theory of Surveys with Applications*. 2nd ed. ed. Iowa State University Press, Ames, Iowa.
- Sutherland, W.J. (ed). 2006. *Ecological Census Techniques: A Handbook*. Cambridge University Press, Cambridge.
- Sylvester, E.S., and Cox, E.L. 1961. Sequential plans for sampling aphids on sugar beets in Kern County, California. *Journal of Economic Entomology* 54: 1080-1085.
- Taylor, L.R. 1961. Aggregation, variance and the mean. *Nature* 189: 732-735.
- Taylor, L.R. 1984. Assessing and interpreting the spatial distributions of insect populations. *Annual Review of Entomology* 29: 321-357.

- Taylor, L.R., Woiwod, I.P., and Perry, J.N. 1979. The negative binomial as a dynamic ecological model for aggregation, and the density dependence of k . *Journal of Animal Ecology* 48: 289-304.
- Taylor, W.D. 1980. Comment on "aggregation, transformations, and the design of benthos sampling programs". *Canadian Journal of Fisheries and Aquatic Sciences* 37: 1328-1329.
- Thomas, L. 1997. Retrospective power analysis. *Conservation Biology* 11: 276-280.
- Thomas, L., Buckland, S.T., Rexstad, E.A., Laake, J.L., Strindberg, S., Hedley, S.L., Bishop, J.R.B., Marques, T.A., and Burnham, K.P. 2010. Distance software: design and analysis of distance sampling surveys for estimating population size. *Journal of Applied Ecology* 47(1): 5-14. doi:10.1111/j.1365-2664.2009.01737.x.
- Thomas, L., and Krebs, C.J. 1997. A review of statistical power analysis software. *Bulletin of the Ecological Society of America* 78(2): 126-139.
- Thompson, G.G., Withers, P.C., Pians, E.R., and Thompson, S.A. 2003. Assessing biodiversity with species accumulation curves: inventories of small reptiles by pit-trapping in Western Australia. *Austral Ecology* 28(4): 361-383.
- Thompson, H.R. 1956. Distribution of distance to n th neighbour in a population of randomly distributed individuals. *Ecology* 37: 391-394.
- Thompson, S.K. 2012. *Sampling*. 3rd ed. John Wiley and Sons, Hoboken, New Jersey.
- Thoni, H. 1967. Transformations of variables used in the analysis of experimental and observational data. A review. Technical Report No. 7, Statistical Laboratory, Iowa State University, Ames: 1-61.
- Tinbergen, L. 1960. The natural control of insects in pine woods. I. Factors influencing the intensity of predation by songbirds. *Archives Neederlanishes Zoologie* 13: 265-344.
- Trent, T.T., and Rongstad, O.J. 1974. Home range and survival of cottontail rabbits in southwestern Wisconsin. *Journal of Wildlife Management* 38: 459-472.
- Trumble, J.T., Edelson, J.V., and Story, R.N. 1987. Conformity and incongruity of selected dispersion indices in describing the spatial distribution of *Trichoplusia ni* (Huebner) in geographically separate cabbage plantings. *Researches in Population Ecology* 29: 155-166.
- Tukey, J. 1958. Bias and confidence in not quite large samples. *Annals of Mathematical Statistics* 29: 614.
- Tukey, J.W. 1977. *Exploratory Data Analysis*. Addison-Wesley, Reading, Massachusetts.

- Underwood, A.J. 1994. On beyond BACI: sampling designs that might reliably detect environmental disturbances. *Ecological Applications* 4: 3-15.
- Underwood, A.J., and Chapman, M.G. 2003. Power, precaution, Type II error and sampling design in assessment of environmental impacts. *Journal of Experimental Marine Biology and Ecology* 296(1): 49-70. doi:10.1016/s0022-0981(03)00304-6.
- Van de Koppel, J., Rietkerk, M., and Weissing, F.J. 1997. Catastrophic vegetation shifts and soil degradation in terrestrial grazing systems. *Trends in Ecology & Evolution* 12(9): 352-356.
- Van Valen, L. 1978. The statistics of variation. *Evolutionary Theory* 4: 33-43.
- Van Valen, L.M. 1982. A pitfall in random sampling. *Nature* 295: 171.
- Venzon, D.J., and Moolgavkar, S.H. 1988. A method for computing profile-likelihood based confidence intervals. *Applied Statistics* 37: 87-94.
- Wald, A. 1947. *Sequential Analysis*. John Wiley, New York.
- Walters, C.J. 1993. Dynamic models and large scale field experiments in environmental impact assessment and management. *Australian Journal of Ecology* 18: 53-62.
- Walters, C.J., Collie, J.S., and Webb, T. 1988. Experimental designs for estimating transient responses to management disturbances. *Canadian Journal of Fisheries & Aquatic Sciences* 45: 530-538.
- Walters, C.J., and Martell, S.J.D. 2004. *Fisheries Ecology and Management*. Princeton University Press, Princeton, New Jersey.
- Waters, W.E. 1955. Sequential sampling in forest insect surveys. *Forest Science* 1: 68-79.
- Weatherhead, P.J. 1986. How unusual are unusual events? *American Naturalist* 128: 150-154.
- Welsh, A.H. 2002. Theory & methods: Incomplete detection in enumeration surveys: whither distance sampling? *Australian & New Zealand Journal of Statistics* 44(1): 13-22. doi:10.1111/1467-842x.00204.
- Wetherill, G.B., and Glazebrook, K.D. 1986. *Sequential Methods in Statistics*. 3rd ed. ed. Chapman and Hall, London.
- White, G.C. 1996. NOREMARK: Population estimation from mark-resighting surveys. *Wildlife Society Bulletin* 24: 50-52.
- White, G.C. 2008. Closed population estimation models and their extensions in program MARK. *Environmental and Ecological Statistics* 15(1): 89-99.
- White, G.C., Anderson, D.R., Burnham, K.P., and Otis, D.L. 1982. Capture-recapture and removal methods for sampling closed populations. Los Alamos National Laboratory LA-8787-NERP, 235 pp.

- White, G.C., and Garrott, R.A. 1990. *Analysis of Wildlife Radio-tracking Data*. Academic Press, New York.
- Whittaker, R.H. 1972. Evolution and measurement of species diversity. *Taxon* 21: 213-251.
- Wiegert, R.G. 1962. The selection of an optimum quadrat size for sampling the standing crop of grasses and forbs. *Ecology* 43(1): 125-129.
- Williams, C.S., and Marshall, W.H. 1938. Duck nesting studies, Bear River Migratory Bird Refuge, Utah, 1937. *Journal of Wildlife Management* 2: 29-48.
- Wilson, K.R., and Anderson, D.R. 1985a. Evaluation of nested grid approach for estimating density. *Journal of Wildlife Management* 49(3): 675-678.
- Wilson, K.R., and Anderson, D.R. 1985b. Evaluation of two density estimators of small mammal population size. *Journal of Mammalogy* 66: 13-21.
- Wolda, H. 1981. Similarity indices, sample size and diversity. *Oecologia* 50(3): 296-302.
- Worlund, D.D., and Taylor, G. 1983. Estimation of disease incidence in fish populations. *Canadian Journal of Fisheries and Aquatic Sciences* 40: 2194-2197.
- Yates, F. 1964. Sir Ronald Fisher and the Design of Experiments. *Biometrics* 20: 307-321.
- Zar, J.H. 2010. *Biostatistical Analysis*. 5th ed. Prentice-Hall, London.
- Zimmerman, E.G. 1965. A comparison of habitat and food of two species of *Microtus*. *Journal of Mammalogy* 46: 605-612.